L Number	Hits	Search Text	DB	Time stamp
1	1	((US-5765197-\$ or US-6378071-\$ or US-6385727-\$ or US-5467396-\$ or US-5548648-\$ or US-5594793-\$).did.) and	USPAT; US-PGPUB; EPO; JPO;	2003/12/10 14:37
	_	cbc	DERWENT; IBM_TDB	
2	0	(((US-5765197-\$ or US-6378071-\$ or US-6385727-\$ or US-5467396-\$ or US-5548648-\$ or US-5594793-\$).did.) and cbc) and compressed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/10
3	17539062	@ad<19990315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/10 14:38
4	600	@ad<19990315 and compressed with data same encrypt\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/10 14:47
5	15	(@ad<19990315 and compressed with data same encrypt\$5) and (storage memory) with (identif\$6 authentic\$7) with processor\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10
6	49	@ad<19990315 and compressed with data same (decompress expand) same encrypt\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 15:14
7	3	(@ad<19990315 and compressed with data same encrypt\$5) and consecutive adj address\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/10 15:15
9	0	@ad<19990315 and consecutive adj address\$3 same memory same encrypt\$5 and compress\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/10 15:18
8	2	@ad<19990315 and consecutive adj address\$3 same memory same encrypt\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/10 15:18
13	8	(US-5765197-\$ or US-6378071-\$ or US-6385727-\$ or US-5467396-\$ or US-5548648-\$ or US-5594793-\$ or US-4078152-\$ or US-4386416-\$).did.	USPĀT	2003/12/10 16:04
18	2	((US-5765197-\$ or US-6378071-\$ or US-6385727-\$ or US-5467396-\$ or US-5548648-\$ or US-5594793-\$ or US-4078152-\$ or US-4386416-\$).did.) and identification	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/10 16:04
_	2766		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/02 16:14.
_	288	(@ad<19990315 and (identification authentication) with storage with process\$6) and encrypt\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/02 16:15
_	92	(@ad<19990315 and (identification authentication) with storage with process\$6) and encrypt\$6 same blocks	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/02

		(0. 1.10000015	**************************************	2002/12/02
-	10	(@ad<19990315 and (identification	USPAT;	2003/12/02 16:16
		<pre>authentication) with storage with process\$6) and encrypt\$6 same blocks with</pre>	US-PGPUB; EPO; JPO;	16:16
		length	DERWENT;	_
		Tength	IBM TDB	·
_	1	"5881287".PN.	USPAT	2003/12/02
	1	3001207 .FW.	OSIRI	16:17
<u> </u>	1	"5835601".PN.	USPAT	2003/12/02
	_	3033001	021	16:17
l _	102	713/193.ccls. and @ad<19990315 and data	USPAT;	2003/12/02
		with processing and (authentication	US-PGPUB;	16:18
		identification)	EPO; JPO;	
			DERWENT;	;
			IBM TDB	
_	90	(713/193.ccls. and @ad<19990315 and data	USPAT;	2003/12/02
		with processing and (authentication	US-PGPUB;	16:18
		identification)) and encrypt\$6	EPO; JPO;	
		••	DERWENT;	
1			IBM TDB	
_	17537174	@ad<19990315	USPĀT;	2003/12/03
	1		US-PGPUB;	08:46
			EPO; JPO;	
			DERWENT;	-
			IBM_TDB	
-	606		USPAT;	2003/12/03
		memory and fixed adj length	US-PGPUB;	08:47
			EPO; JPO;	
			DERWENT;	
]			IBM_TDB	
-	232	@ad<19990315 and (data adj process\$6 and	USPAT;	2003/12/03
		encrypt\$5 and memory and fixed adj	US-PGPUB;	08:47
1		length)	EPO; JPO;	
			DERWENT;	
		(0-1-1000001F1 /3-t1	IBM_TDB USPAT;	2003/12/09
-	70	(@ad<19990315 and (data adj process\$6 and encrypt\$5 and memory and fixed adj	US-PGPUB;	13:01
		length)) and memory same (authentication	EPO; JPO;	13.01
		identification)	DERWENT;	·
		1401101110401011/	IBM TDB	
_	794	711/163.ccls.	USPAT;	2003/12/03
			US-PGPUB;	09:12
			EPO; JPO;	
	l		DERWENT;	
	i		IBM_TDB	0000 (55 (55
-	469	711/163.ccls. and @ad<19990315	USPAT;	2003/12/10
	Į.		US-PGPUB;	14:38
			EPO; JPO;	
			DERWENT; IBM TDB	,
	287	(711/163.ccls. and @ad<19990315) and	USPAT;	2003/12/03
_	20/	(authenticat\$5 identif\$7)	US-PGPUB;	09:12
		\authorities add Interest	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	122	(711/163.ccls. and @ad<19990315) and	USPAT;	2003/12/03
	1	(authenticat\$5 identif\$7) same (memory	US-PGPUB;	09:13
	1	and process\$5)	EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	0000 (00 (00
_	137	(711/163.ccls. and @ad<19990315) and	USPAT;	2003/12/03
		(authenticat\$5 identif\$7) same ((memory	US-PGPUB;	09:13
1		storage) and process\$5)	EPO; JPO;	
			DERWENT;	
	21	//711/162 cold and 6ad/1000021E\ and	IBM_TDB USPAT;	2003/12/03
-	21	((711/163.ccls. and @ad<19990315) and (authenticat\$5 identif\$7) same ((memory	US-PGPUB;	09:18
	1	storage) and process\$5)) and encrypt\$6	EPO; JPO;	*****
			DERWENT;	
			IBM TDB	
L	<u> </u>	I		

-	0	@ad<19990315 and processor and encyption	USPAT;	2003/12/03
		adj (module engine unit)	US-PGPUB;	09:22
			EPO; JPO;	
	1		DERWENT;	
		0.1410000015	IBM_TDB	0000 /20 /00
-	0	0	USPAT;	2003/12/03
	1	engine unit) and encyption adj (module	US-PGPUB;	09:23
1	İ	engine unit)	EPO; JPO;	
			DERWENT;	
	7.53	0 1:10000315	IBM_TDB	0000/10/00
-	763	1 * · · · · · · · · · · · · ·	USPAT;	2003/12/03
		and encryption and processing	US-PGPUB;	09:28
			EPO; JPO;	
			DERWENT;	
	105	And < 10000315 and content and convertebtes	IBM_TDB	2002/12/02
-	103	<pre>@ad<19990315 and content and copyright\$2 and encrypt\$4 and (processing processor)</pre>	USPAT;	2003/12/03
			US-PGPUB;	09:29
		and fixed adj length	EPO; JPO; DERWENT;	•
			IBM TDB	
1_	155	@ad<19990315 and content and copyright\$2	USPAT;	2003/12/03
1	133	and encrypt\$4 and (processing processor)	US-PGPUB;	09:38
1		and fixed adj (length size)	EPO; JPO;	00.30
1		and linea adj (length bile)	DERWENT;	
1			IBM TDB	
_	72	@ad<19990315 and content with protect\$5	USPAT;	2003/12/03
1	, 2	and encrypt\$4 and (processing processor)	US-PGPUB;	10:00
]		and fixed adj (length size)	EPO; JPO;	10100.
		and IIII and any (Iongon DIII)	DERWENT;	
			IBM TDB	
_	4	5,995,628.pn. 6,385,727.pn.	USPAT;	2003/12/03
	_	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	US-PGPUB;	10:01
			EPO; JPO;	
1			DERWENT;	
			IBM TDB	
-	6	(US-5765197-\$ or US-6378071-\$ or	USPĀT	2003/12/09
		US-6385727-\$ or US-5467396-\$ or		10:50
		US-5548648-\$ or US-5594793-\$).did.		
-	17539062	@ad<19990315	USPAT;	2003/12/09
			US-PGPUB;	13:03
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5111	(data adj block with fixed length and	USPAT;	2003/12/09
		encrypt\$5 and @ad<19990315) and	US-PGPUB;	13:17
		processing and memory	EPO; JPO;	
			DERWENT;	
l _	_	00d<10000315 and 64 and -44 3 and 44	IBM_TDB	2002/12/00
-	2	@ad<19990315 and fixed adj length with	USPAT;	2003/12/09 13:06
		data same encrypt\$5 and cipher adj block adj chaining	US-PGPUB; EPO; JPO;	12:00,
		au chaining	DERWENT;	
		•	IBM TDB	
_	211	((data adj block with fixed length and	USPAT;	2003/12/09
		encrypt\$5 and @ad<19990315) and	US-PGPUB;	13:18
		processing and memory) and pad with (bits	EPO; JPO;	-5.10
		bytes)	DERWENT;	
			IBM TDB	
-	14	(((data adj block with fixed length and	USPAT;	2003/12/09
		encrypt\$5 and @ad<19990315) and	US-PGPUB;	13:32
	1	processing and memory) and pad with (bits	EPO; JPO;	,
		bytes)) and cipher adj block	DERWENT;	
		_	IBM_TDB	
-	38	4078152.URPN.	USPAT	2003/12/09
				13:32
-	1	4078152.URPN. and pad with (bit bytes)	USPAT;	2003/12/09
	1		US-PGPUB;	13:32
			EPO; JPO;	
1			DERWENT;	
1	L		IBM TDB	

- ·	7826	data adj block with fixed length and	USPAT;	2003/12/10
		encrypt\$5 and @ad<19990315	US-PGPUB;	09:55
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	20	(data adj block with fixed length and	USPAT;	2003/12/10
		encrypt\$5 and @ad<19990315) and pad and	US-PGPUB;	10:01
		cipher adj block adj chain\$5	EPO; JPO;	
			DERWENT;	
İ			IBM TDB	;
-	14	(data adj block with fixed length and	USPĀT;	2003/12/10
		encrypt\$5 and @ad<19990315) and padding	US-PGPUB;	10:01
		and cipher adj block adj chain\$5	EPO; JPO;	
			DERWENT;	
]			IBM TDB	
-	19	(data adj block with fixed length and	USPĀT;	2003/12/10
		encrypt\$5 and @ad<19990315) and padded	US-PGPUB;	11:36
		and cipher adj block adj chain\$5	EPO; JPO;	
	<u> </u>		DERWENT;	
			IBM_TDB	